BIOMAX

Keumkang Penterium IX Tower CORE-C 7F, 46, Galmaesunhwan-ro 166beon-gil, Guri-si, Gyeonggi-do, Republic of Korea Tel: +82-2-3296-3158, Fax: +82-2-973-2858

Web: www.biomaxinc.com, E-mail: info@scgbiomax.com



SAFETY DATA SHEET (SDS)

SDS DATE: Dec, 2021

Section 1. Product And Company Identification

1. Product identifier

1.1. Product Name: PicoSens™ ACE2 Activity Assay Kit

1.2. Product Code: BM-ATA-F100

2. Details of the supplier of the safety data sheet

2.1. Company: BIOMAX, Inc.,

2.2. Address: Keumkang Penterium IX Tower CORE-C 7F, 46, Galmaesunhwan-ro 166beon-gil, Guri-si, Gyeonggi-do, Republic of Korea

2.3. Telephone: +82-2-3296-3158

2.4. Emergency Phone: +82-2-3296-3159

2.5. FAX: +82-2-973-2858

3. Product use

3.1. For research use only.

Section 2. Hazard identification

Component	Description	Volume	Safety Information
ACE 2 Assay Buffer	Proprietary Buffer	25 mℓ	No hazards
ACE 2 Lysis Buffer	Proprietary Buffer	50 mℓ	No hazards
ACE 2 Dilution Buffer	Proprietary Buffer	1.5 mℓ	No hazards
ACE 2 Positive Control	Proprietary Buffer	5 μℓ	No hazards
ACE2 Substrate	In DMSO	200 μl	See below
ACE2 Inhibitor	In DMSO	50 μl	See below
MCA-Standard (1 mM)	In DMSO	15 μθ	See below

1.1 **DMSO**

Emergency Overview

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: : Flammable liquids (Category 4)
GHS Label elements, including precautionary statements

Pictogram:



Signal word: Warning

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification

Health hazard: 0 Chronic Health Hazard: * Flammability: * Physical hazards: 0

NFPA Rating

Health Hazard: 0

Fire: 2

Reactivity Hazard: 0

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation. **Skin:** May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body

Section 3. Composition/Information on ingredients

Component	CAS Number	EC-No.	Molecular Weight	Formula
DMSO	DMSO 67-68-5		78.13	C ₂ H ₆ OS

Section 4. First Aid Measures

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5. Fire-fighting Measures

Condition of flammability: Not flammable or combustible.

DMSO:

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Section 6. Accidental Release Measures

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Section 7. Handling And Storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition (no smoking). Take measures to prevent the buildup of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20°C.

Section 8: Exposure Controls/Personal Protection

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Section 9: Physical And Chemical Properties

Property	DMSO
Appearance:	Clear liquid
pH:	No data available

Water Solubility:	Completely miscible
Other Solubility:	No data available
Boiling Point (°C):	189°C (372°F)
Melting Point (°C):	16-19°C (61-66°F)
Flash Point (°C):	87°C (189°F)
Ignition Temperature (°C):	301°C (574°F)
Density:	1.1 g/ml

Section 10: Stability And Reactivity

Property	DMSO
Chemical Stability:	Stable under recommended storage conditions
Conditions to Avoid:	Heat, flames, sparks
Materials to Avoid:	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
Hazardous decomposition: products:	Carbon oxides, sulfur oxides

Section 11: Toxicological Information

DMSO:

Acute toxicity: LD50 Oral - rat - 14,500 mg/kg LC50 Inhalation - rat - 4 h - 40250 ppm LD50 Dermal - rabbit - > 5,000 mg/kg Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available **Respiratory or skin sensitization:** no data available

 $\textbf{Germ cell mutagenicity:} \ \textbf{Genotoxicity in vitro-mouse-lymphocyte Cytogenetic analysis}$

 $\label{lem:continuous} \textbf{Genotoxicity in vitro-mouse-lymphocyte Mutation in mammalian somatic cells}.$

Genotoxicity in vivo - rat – Intraperitoneal Cytogenetic analysis Genotoxicity in vivo - mouse – Intraperitoneal DNA damage

Carcinogenicity:

Carcinogenicity - rat - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin & Appendages: Other: Tumors.

Carcinogenicty - mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin & Appendages: Other: Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity:

 $Reproductive\ toxicity-rat-Intraperitoneal\ Effects\ on\ Fertility:\ Abortion.$

Reproductive toxicity – rat – Intraperitoneal Effects on Fertility: Post-implantation mortality

(e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity – rat – Subcutaneous Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity –mouse – Oral Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific Developmental Abnormalities: Musculoskeletal system.

Teratogenicity:: Developmental Toxicity - mouse - Intraperitoneal Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

 $Specific\ Developmental\ Abnormalities:\ Musculoskeletal\ system.$

Signs and Symptoms of Exposure: Exposure via ingestion may cause nausea, fatigue, headache.

Additional Information: RTECS: PV6210000

Section 12: Ecological Information

DMSO:

Persistence and degradability: no data available

LC50 – Oncorhynchus mykiss (rainbow trout) – 35,000 mg/l – 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 – Daphnia pulex (Water flea) – 27,500 mg/l

Toxicity to algae: EC50 – Lepomis macrochirus (Bluegill) – >400,000 mg/l – 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available **Other adverse effects:** no data available

Product: Observe all federal, state, and local environmental regulations. Contact licensed professional waste disposal service to dispose of this material. **Contaminated packaging:** Dispose of as unused product.

Section14: Transport Information

DMSO:

DOT (US): UN-Number: 1993 Class: CBL Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide)

Marine pollutant: No; Poison Inhalation Hazard: No

IMDG: Not dangerous goods. **IATA:** Not dangerous goods.

Section 15: Regulatory Information

1. Regulation under the Occupational Safety and Health Act

- 1.1 Harmful Substances Required Permission for Manufacture Not relevant
- 1.2 Harmful Substances Prohibited from Manufacturing Not relevant
- 1.3 Carcinogenic Substances Not relevant
- 1.4 Controlled Substances Subject to Environment Monitoring Not relevant
- 1.5 Controlled Substances Subject to Health Examination Not relevant
- 1.6 Hazardous substances requiring management Not relevant

2. Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

- 2.1 Toxic Chemicals Not relevant
- 2.2 Observational chemicals Not relevant
- 2.3 Restricted Chemicals Not relevant
- 2.4 Prohibited Chemicals Not relevant
- 2.5 Accident Precaution Chemicals Not relevant

3. Dangerous Substances Safety Management Act

3.1 Not relevant

4. Wastes Control Act

4.1 Follow article 13 of the act to dispose the product waste

5. Other regulations

KECI Number

Not in compliance with the inventory

Section 16: Other information

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. BIOMAX, Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright BIOMAX, Inc., License granted to make unlimited paper copies for internal use only.